

```

<!DOCTYPE html>
<html lang="ru">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>20.05</title>
</head>

<body>
  <style>
    html, body {
      margin: 0;
      padding: 0;
      background-color: beige;
    }

    .container {
      display: flex;
      width: 100%;
      height: 300px;
      justify-content: center;
      align-items: center;
    }

    .input {
      background-color: rgb(49, 49, 49);
      text-align: center;
      color: white;
      font-family: 'Courier New', Courier, monospace;
      width: 300px;
      padding: 10px;
      border-radius: 15px;
      margin: 10px;
    }

    ::-webkit-input-placeholder {
      text-align: center;
    }

    #button {
      width: 250px;
      height: 40px;
      color: #000;
      border-radius: 5px;
      padding: 10px 25px;
      font-family: 'Lato', sans-serif;
      font-weight: 500;
      background: transparent;
      cursor: pointer;
      transition: all 0.3s ease;
      position: relative;
      display: inline-block;
      box-shadow: inset 2px 2px 2px 0px rgba(255,255,255,.5),
        7px 7px 20px 0px rgba(0,0,0,.1),
        4px 4px 5px 0px rgba(0,0,0,.1);
      outline: none;
      margin: 10px;
    }
  </style>

```

```
<script>
    function moveText() {
        document.getElementById("output").value =
document.getElementById("input").value
    }
</script>

<div class="container">
    <input placeholder="Ввод" id="input" class="input">
    <input type="button" value="Перенести" id="button" onclick="moveText()">
    <input placeholder="Вывод" id="output" class="input" disabled>
</div>
</body>

</html>
```